

Approved body No. 1121

## Certificate of constancy of performance

**1121-CPR-UK-AG7921**

In compliance with Construction Products Regulation 2011 (retained EU law EUR 2011/305) as amended by the Construction Products (Amendment etc.) (EU Exit) Regulations 2019 and the Construction Products (Amendment etc.) (EU Exit) Regulations 2020, this certificate applies to the Construction Product:

### **Allegion 5700 Series Locks – See Annex A**

**Intended use: For use on fire/smoke compartmentation doors**

Essential characteristics	Performance	Harmonised technical specification
	<b>Mechanical &amp; Fire test evidence:</b> WIL 505264, WIL 505872, WIL 505872-1, WIL 505872-2, WIL 505611, WIL 512043 & WF 422917 Iss 3	
Self-closing 5.4.2 Closing force	Grade 8 = 200kg door mass with 15N maximum closing force	EN 12209:2003/AC 2005
5.1.2 Re-latching force of latch bolt	>2.5N	
Durability of self-closing 5.3.1 Durability of latch action	Grade X = 200,000 cycles with 120N side load on latch bolt.	
Ability to maintain the door in the closed position and not contribute to its spread of fire	Grade 1	
Control of Dangerous substances	If a reference to dangerous substances is added in the table ZA.1, the following claim is suggested: Pass: the materials in the lock do not contain or release any dangerous substances in excess of the maximum levels specified in existing European material standards or any national regulations (1)	

## Certificate of constancy of performance

**1121-CPR-UK-AG7921**

Placed on the market under the name of

**Allegion (UK) Ltd**  
**35 Rocky Lane, Aston, Birmingham, B6 5RQ**

and produced in the manufacturing plant

**J/311**

**This is coded format and the information is held by the Approved Body**

This certificate attests that all provisions concerning the assessment and verification of constancy of performance and the performances described in Annex ZA of the standard(s)

**EN 12209:2003/AC 2005**

Under System 1 for the performance set out in this certificate are applied and that the Factory Production Control conducted by the manufacturer is assessed to ensure the constancy of performance of the construction product.

This certificate was first issued on **04/07/2022** and will remain valid as long as neither the designated standard, the Construction Product, the AVCP methods nor the manufacturing conditions in the plant are modified significantly, or unless suspended or withdrawn by the Approved Product Certification Body.

UKCA certificate valid to: **03/07/2025**



Paul Duggan  
Certification Manager



**Warringtonfire Testing and Certification Limited**  
**Suite 302, The Genesis Centre, Birchwood, Warrington, WA3 7BH, UK**

## Certificate of constancy of performance

1121-CPR-UK-AG7921

### Annex A

Model reference	Product Description
5720	Mortice Euro Profile Sashlock
5730	Bathroom Lock
5740	Mortice Latch
5750	Mortice Nightlatch
5760	Escape Lock