



Application

The 7000 Series lockset provides fully mechanical primary or auxiliary pushbutton access control with no electrical wiring, electronics, or batteries. Exterior access is by combination. Egress is by interior thumbturn and is free at all times. Deadbolt models are manually relocking. Deadlocking latch models automatically relock each time the door closes.

7000 Series locksets are suitable for residential or light commercial applications. The streamlined housing with integrated pull makes the lock ideal for front and rear doors, garages, conference rooms, offices, garden cabanas, utility rooms and workshops. Mounts above existing lockset, or can be used alone.

The pushbutton design eliminates problems associated with the issue, control, and collection of keys and magnetic cards. The combination can be quickly and easily changed to ensure continued maximum security once employees, tenants, or guests leave, saving the cost of new keys, key cylinders, magnetic cards, and card-encoding devices. The combination is changed without removing the lock from the door.

Features

One hand operation: Depress the buttons in the correct sequence, then turn the thumbturn to retract the bolt or the deadlocking latch.

Thousands of possible combinations: Authorized individuals can change the combination in seconds. One or all five buttons can be used in the combination - individually or with two or more buttons depressed simultaneously.

Easy to install on wood or metal doors: Easily retrofits primary or auxiliary lock installations. Exterior trim plate covers existing 2 $\frac{1}{8}$ " (54mm) bores.

Rugged & weather resistant: The lock is wear-tested for intensive use. Suitable for indoor or outdoor locations.

Includes: Strike for in-swing and out-swing doors (appropriate to latch type), strike box, installation instructions, full-scale template.

Latch holdback: Standard on rim deadlocking latch models.

Specifications

Construction: All metal; cast front housing; force-proof clutch-protected thumbturn; exterior brass trim plate; interior reinforcing plate for rim deadlocking latch models;

Door thickness: 1 $\frac{3}{8}$ " (35 mm) to 2 $\frac{1}{4}$ " (57 mm)

Strikes:

Models 7002 and 7008: flat strike plate
Models 7004 and 7014: curved lip strike plate
Model 7006: box strike for inswing doors and flat strike for outswing doors.

Installation: 1 $\frac{3}{8}$ " (35 mm) diameter through bore for housing; 1" (25 mm) diameter cross bore for latch (except 7006); $\frac{3}{4}$ " (19mm) through bore for combination change sleeve; 2 x $\frac{1}{4}$ " mounting bolts, 4" (102 mm) minimum stile required

Door handing: Field reversible

Control: Standard Phillips screwdriver to change combination from the inside of the door (not included).

Finishes:

For all models except 7006: 03 (605) "Chiara" Bright Brass; 26D (626) Satin Chrome; AC (059) Antique Copper; GV (060) Gold Vein; AW (062) Antique White; SV (061) Silver Vein.


Model 7006: 19 (676) Black powder paint; 26D (626) Satin Chrome.

Weight: 2 $\frac{1}{2}$ lbs. (1.1 kg)



45 Assembly Street Edinburgh EH6 7BQ
Tel: 0131 555 0909 Fax: 0131 554 1177
Email: sales@keyprint.co.uk
Website: www.keyprint.co.uk

Dimensions



Bolt and Latch Options



Deadbolt

Models 7002, 7008
 Tubular Deadbolt
 with hardened steel insert
 1" (25 mm) throw, flat front
 Auxiliary Lock
 Manual relock



Deadlocking Latch

Models 7004, 7014
 Deadlocking Latch
 1/2" (13 mm) throw, flat front
 Primary or auxiliary Lock
 Automatic relock



Rim Deadlocking Latch

Models 7006
 Rim Deadlocking Latch
 (for wood doors only)
 5/8" (16 mm) throw
 Auxiliary Lock
 Automatic relock


Ordering Information

Example

Model 7008 with tubular deadbolt, 2³/₈" (60 mm) backset, Bright Brass finish, packaged 1 per box.



Build the part number with the features you require:



7000 Series Auxiliary or Primary Locks

Model	Latch Description	Backset
7002	Tubular Deadbolt	2 ³ / ₄ " (70mm)
7004	Deadlocking Latch	2 ³ / ₄ " (70mm)
7006	Rim Deadlocking Latch*	2 ³ / ₈ " (60mm)
7008	Tubular Deadbolt	2 ³ / ₈ " (60mm)
7014	Deadlocking Latch	Adjustable 2 ³ / ₈ " (60mm) to 2 ³ / ₄ " (70mm)

* For wood doors only; incorporates latch holdback feature.

Finish	Description	
03	"Chiara" Bright Brass	(605)
26D	Satin Chrome	(626)
AC	Antique Copper	(powder paint, 059)
GV	Gold Vein	(powder paint, 060)
AW	Antique White	(powder paint, 062)
SV	Silver Vein	(powder paint, 061)
19*	Black*	(powder paint, 676)

* Available on 7006 Model only.

Packaging	Description
41	1 per box